INDEX TO VOLUME 43

AUTHORS INDEX

A

AKMAN, LEONARD C. (*See* Berman and Akman), 264

ALBERT, ROY E., AND EICHNA, LUDWIG W. The response of the peripheral venous pressure to exercise in congestive heart failure, 395

ALEXANDER, LEONARD C. (*See* Iseri, Alexander, McCaughey, Boyle, and Myers), 215

ALIMURUNG, MARIANO M. (*See* Ehrentheil, Alimurung, and Massell), 228

——. (*See* Nadas and Alimurung), 691

ALPER, T. (*See* Bothwell, van Linger, Alper, and du Preez), 333

ALTSCHUL, RUDOLF. Lymphocytopenia in heart disease, 653

ANDERSON, R. MAXWELL, AND MCKEE, EDWARD E. Congenital tricuspid atresia, 761

ANDERSON, WILLIAM H., ROLUFS, LLOYD S., AND DOERNER, ALEXANDER A. The use of pharmacological tests in the diagnosis of pheochromocytoma, 252

ANTZIS, ELI, DUNN, JAMES J. AND SCHILERO, ANTHONY J. Pronestyl (procaine amide) therapy in paroxysmal ventricular tachycardia, 911

AQUILINA, JOSEPH T., ROSENBERG, FRANK, AND WUERTZ, ROBERT L. Nodal tachycardia in a case of Rocky Mountain spotted fever, 755

AUSTIN, PERRY G. M. (*See* Rubenstein and Austin), 922

B

BENEDICT, RUTH B., AND EVANS, JOHN M. Second-degree heart block and Wenckebach phenomenon associated with anxiety, 626

BERENSON, G. S. (*See* Burch, Ray, and Berenson), 844

BERGMANN, PETER. (*See* Schaffer, Dix, and Bergmann), 735

BERMAN, EDGAR F., AND AKMAN, LEONARD C. Intra-arterial infusion in the treatment of shock resulting from coronary occlusion, 264

BJERMAN, HOWARD R., PERKINS, EVAN K., AND ORTEGA, PAUL. Pericarditis in patients with leukemia, 413

BISTENI, ABDO. (*See* Sodi-Pallares, Bisteni, and Herrmann), 716

BLACKMAN, NORMAN S. Identification of the complexes of the electromagnetic ballistocardiogram in a single channel, 840

BLOOMFIELD, RICHARD A. (*See* Ellis, Mebane, Maresh, Hultgren, and Bloomfield), 341

BLUMENFELD, S. (*See* Scherf, Blumenfeld, and Mueller), 829

BOTHWELL, T. H. (*See* van Lingen, McGregor, Kaye, Meyer, Jacobs, Braudo, Bothwell, and Elliott), 77

——, VAN LINGEN, B., ALPER, T., AND DU PREEZ, M. L. The cardiac complications of hemochromatosis, 333

BOYLE, ALBERT J. (*See* Iseri, Alexander, McCaughey, Boyle, and Myers), 215

BRAUDO, J. L. (*See* van Lingen, McGregor, Kaye, Meyer, Jacobs, Braudo, Bothwell, and Elliott), 77

BRAUN, K., DE VRIES, A., FEINGOLD, D. S., EHRENFELD, N. E., FELDMAN, J., AND SCHORR, S. Complete dextroposition of the aorta, pulmonary stenosis, interventricular septal defect, and patent foramen ovale, 773

BROWN, MORTON G. (*See* Wetherbee, Holzman, and Brown), 89

BRYANT, J. MARION. (*See* Johnston, Ryan, and Bryant), 306

BUCHBERG, ABRAHAM S. (*See* Rubin and Buchberg), 161

BURCH, G. E., RAY, C. T., AND BERENSON, G. S. A study of the volume-time course of the pulse wave of the finger tip, 844

BURCHELL, HOWARD B. (*See* Butcher, Wakim, Essex, Pruitt, and Burchell), 801

BUTCHER, WILLIAM A., WAKIM, KHALIL G., ESSEX, HIRAM E., PRUITT, RAYMOND D., AND BURCHELL, HOWARD B. The effect of changes in concentration of cations on the electrocardiogram of the isolated perfused heart, 801

C

CABRERA C., ENRIQUE, AND MONROY, JOSÉ R. Systolic and diastolic loading of the heart. I. Physiologic and clinical data, 661

——, AND ——. Systolic and diastolic loading of the heart. II. Electrocardiographic data, 669

——. (*See* Zapata-Díaz, Cabrera C., and Méndez), 854

CHAPMAN, OLIVER W. (*See* Smirk and Chapman), 586

CHASTANT, HAROLD. (*See* Levy, Fowler, Jacobs, Leckert, Irion, Rosen, and Chastant), 59

CH'IN, K. Y., TANG, M. Y., AND LIU, F. S. Gangrene resulting from thromboarteritis, apparently of rheumatic fever origin, 889

CLARKE, NORMAN E., AND DODRILL, F. DEWEY. Coarctation of the aorta, 108

COHEN, SHELDON. (*See* Franke, George, and Cohen), 246
COSBY, RICHARD S. (*See* Zinn, Cosby, Levinson, Miller, Dimitroff, Cramer, and Griffith), 451
COSSIO, PEDRO. Ligation of the vena cava in the treatment of heart failure, 97
CRAMER, FRANK B. (*See* Zinn, Cosby, Levinson, Miller, Dimitroff, Cramer, and Griffith), 451

D

DANIEL, ROLLIN A., JR. (*See* Furman, Kennedy, and Daniel), 765
DEWING, STEPHEN B. (*See* Jacobson, Poppel, Hanenson, and Dewing), 423
DEXTER, LEWIS. (*See* Gorlin and Dexter), 188
——. (*See* Gorlin, Lewis, Haynes, and Dexter), 357
——. (*See* Lewis, Gorlin, Houssay, Haynes, and Dexter), 2
DIMITROFF, SIM P. (*See* Zinn, Cosby, Levinson, Miller, Dimitroff, Cramer, and Griffith), 451
DIX, JOHN HARLAN. (*See* Schaffer, Dix, and Bergmann), 735
——. (*See* Scherf and Dix), 494
DODRILL, F. DEWEY. (*See* Clarke and Dodrill), 108
DOERNER, ALEXANDER A. (*See* Anderson, Rolufs, and Doerner), 252
DOMEIER, LUVERNE H. (*See* Rogers, Evans, and Domeier), 781
DUNN, JAMES J. (*See* Antzis, Dunn, and Schilero), 911

E

EHRENFELD, IRVING. (*See* Landman and Ehrenfeld), 791
EHRENFELD, N. E. (*See* Braun, de Vries, Feingold, Ehrenfeld, Feldman, and Schorr), 773
EHRENTHEIL, OTTO F., ALIMURUNG, MARIANO M., AND MASSELL, BENEDICT F. Variation of P-R interval in sinus arrhythmia and its possible relation to the Wenckebach phenomenon, 228
EHRICH, WILLIAM E. Nature of collagen diseases, 121
EICHNA, LUDWIG W. (*See* Albert and Eichna), 395
ELIASER, MAURICE, JR., AND GIANSIRACUSA, FRANK. The electrocardiographic diagnosis of acute cor pulmonale, 533
ELISBERG, E. I. (*See* Rice, Frieden, Katz, Elisberg, and Rosenberg), 821
ELLIOTT, G. A. (*See* van Lingen, McGregor, Kaye, Meyer, Jacobs, Braudo, Bothwell, and Elliott), 77
ELLIS, LAURENCE B., MEBANE, J. GILMER, MARESH, GEORGE, HULTGREN, HERBERT N., AND BLOOMFIELD, RICHARD A. The effect of myxedema on the cardiovascular system, 341
ESSEX, HIRAM E. (*See* Butcher, Wakim, Essex, Pruitt, and Burchell), 801
EVANS, IRA C. (*See* Rogers, Evans, and Domeier), 781
EVANS, JOHN M. (*See* Benedict and Evans), 626

F

FAZEKAS, JOSEPH F. (*See* Parrish, Sugar, and Fazekas), 815
FEINGOLD, D. S. (*See* Braun, de Vries, Feingold, Ehrenfeld, Feldman, and Schorr), 773
FELDMAN, J. (*See* Braun, de Vries, Feingold, Ehrenfeld, Feldman, and Schorr), 773
FERRER, M. IRENÉ. (*See* Kuschner, Ferrer, Harvey, and Wylie), 286
FISHBURN, GEORGE W. (*See* Harris and Fishburn), 474
FOWLER, NOBLE O., WESTCOTT, RICHARD N., SCOTT, RALPH C., AND TAGUCHI, JAMES. The effect of induced ventricular premature systoles upon the precordial QRS pattern in a case of right ventricular hypertrophy, 521
FOWLER, RICHARD. (*See* Levy, Fowler, Jacobs, Leckert, Irion, Rosen, and Chastant), 59
FOX, THEODORE T., WEAVER, JOHN, AND MARCH, HAROLD W. On the mechanism of the arrhythmias in aberrant atrioventricular conduction (Wolff-Parkinson-White), 507
FRANKE, FREDERICK R., GEORGE, ROBERT S., AND COHEN, SHELDON. Intraventricular pressure and electrocardiographic recordings of the dying rabbit heart, 246
FREIREICH, A. W., AND NICOLSON, GERTRUDE B. A rare electrocardiographic finding occasionally seen in single ventricle hearts, 526
FRIEDEN, J. (*See* Rice, Frieden, Katz, Elisberg, and Rosenberg), 821
FRIEDMAN, SIDNEY. (*See* Harris and Friedman), 707
FURMAN, ROBERT H., KENNEDY, J. ALLEN, AND DANIEL, ROLLIN A., JR. Coarctation of the aorta complicated by dissecting aneurysm in pregnancy: report of case with survival, studied by arteriography, 765

G

GEORGE, ROBERT S. (*See* Franke, George, and Cohen), 246
GIANSIRACUSA, FRANK. (*See* Eliaser and Giansiracusa), 533
GIRGIS, B. Pulmonary heart disease due to bilharzia: the bilharzial cor pulmonale, 606
GONZÁLEZ DE COSSÍO, A. Electrocardiographic changes under emetine therapy, 456
GORLIN, RICHARD, AND DEXTER, LEWIS. Hydraulic formula for the calculation of the cross-sectional area of the mitral valve during regurgitation, 188

——, Lewis, Benjamin M., Haynes, Florence W., and Dexter, Lewis. Studies of the circulatory dynamics at rest in mitral valvular regurgitation with and without stenosis, 357
——. (*See* Lewis, Gorlin, Houssay, Haynes, and Dexter), 2
Graham, Garth K., and Laforet, Eugene G. An electrocardiographic and morphologic study of changes following ligation of the left coronary artery in human beings: a report of two cases, 42
Greer, Georgeanna H. (*See* Herrmann, Marchand, Greer, and Hejtmancik), 641
Griffith, George C. (*See* Zinn, Cosby, Levinson, Miller, Dimitroff, Cramer, and Griffith), 451

H

Hanenson, Irwin B., Kayden, Herbert J., and Messinger, William J. Recurrent ventricular tachycardia treated with procaine amide, 293
——. (*See* Jacobson, Poppel, Hanenson, and Dewing), 423
Harris, T. N., and Friedman, Sidney. Phonocardiographic differentiation of vibratory (functional) murmurs from those of valvular insufficiency: further observations and application of diagnosis of rheumatic heart disease, 707
Harris, William H., Jr., and Fishburn, George W. Subacute *Staphylococcus aureus* endocarditis: recovery following combined antibiotic therapy, 474
Harvey, Réjane M. (*See* Kuschner, Ferrer, Harvey, and Wylie), 286
Haynes, Florence W. (*See* Gorlin, Lewis, Haynes, and Dexter), 357
——. (*See* Lewis, Gorlin, Houssay, Haynes, and Dexter), 2
Hejtmancik, Milton R. (*See* Herrmann, Marchand, Greer, and Hejtmancik), 641
Herrmann, George R., Marchand, Ernesto J., Greer, Georgeanna H., and Hejtmancik, Milton R. Pericarditis, 641
——. (*See* Sodi-Pallares, Bisteni, and Herrmann), 716
Heyer, Howard E., Howard, Charles H., Willis, Kathryn W., and Pickle, Arthur C. Alterations of the rapid filling phase in congestive heart failure, 206
Hochhauser, Edward. The role of a social agency in a rehabilitation program for the cardiac patient, 743
Hoffmann, George T. (*See* Rottino and Hoffmann), 115
Holzman, Daniel. (*See* Wetherbee, Holzman, and Brown), 89
Houssay, Hector E. J. (*See* Lewis, Gorlin, Houssay, Haynes, and Dexter), 2
Howard, Charles H. (*See* Heyer, Howard, Willis, and Pickle), 206
Hultgren, Herbert N. (*See* Ellis, Mebane, Maresh, Hultgren, and Bloomfield), 341
Humphreys, Roderick J. (*See* Pond and Humphreys), 615

I

Irion, John. (*See* Levy, Fowler, Jacobs, Leckert, Irion, Rosen, and Chastant), 59
Iseri, Lloyd T., Alexander, Leonard C., McCaughey, Richard S., Boyle, Albert J., and Myers, Gordon B. Water and electrolyte content of cardiac and skeletal muscle in heart failure and myocardial infarction, 215

J

Jacobs, H. D. (*See* van Lingen, McGregor, Kaye, Meyer, Jacobs, Braudo, Bothwell, and Elliott), 77
Jacobs, Harold. (*See* Levy, Fowler, Jacobs, Leckert, Irion, Rosen, and Chastant), 59
Jacobson, Harold G., Poppel, Maxwell H., Hanenson, Irwin B., and Dewing, Stephen B. Left atrial enlargement, 423
Johnston, Franklin D., Ryan, Joseph M., and Bryant, J. Marion. The electrocardiogram and the position of the heart, 306

K

Katz, L. N. (*See* Rice, Frieden, Katz, Elisberg, and Rosenberg), 821
Kayden, Herbert J. (*See* Hanenson, Kayden, and Messinger), 293
Kaye, J. (*See* van Lingen, McGregor, Kaye, Meyer, Jacobs, Braudo, Bothwell, and Elliott), 77
Kelley, Robert T. (*See* Schreiner and Kelley), 749
Kennedy, J. Allen. (*See* Furman, Kennedy, and Daniel), 765
Kroop, I. G. (*See* Slater, Kroop, and Zuckerman), 401
Kuschner, Marvin, Ferrer, M. Irené, Harvey, Réjane M., and Wylie, Robert H. Rheumatic carditis in surgically removed auricular appendages, 286

L

Laforet, Eugene G. (*See* Graham and Laforet), 42
Lamb, Lawrence E. (*See* Smull and Lamb), 481
Landman, Milton E., and Ehrenfeld, Irving. Ventricular fibrillation following eyeball pressure in a case of paroxysmal supraventricular tachycardia, 791
Lechert, John. (*See* Levy, Fowler, Jacobs, Lechert, Irion, Rosen, and Chastant), 59

LEPESCHKIN, E. A quantitative stethoscope and its clinical applications, 881

LEVINE, HAROLD D., VAZIFDAR, JEHANGIR P., LOWN, BERNARD, AND MERRILL, JOHN P. "Tent-shaped" T waves of normal amplitude in potassium intoxication, 437

LEVINSON, DAVID C. (*See* Zinn, Cosby, Levinson, Miller, Dimitroff, Cramer, and Griffith), 451

LEVY, LOUIS, II, FOWLER, RICHARD, JACOBS, HAROLD, LECKERT, JOHN, IRION, JOHN, ROSEN, IRVING, AND CHASTANT, HAROLD. Angiocardiographic confirmation of pericardial effusion, 59

LEVY, ROBERT L. (*See* Mathers and Levy), 546

LEWIS, BENJAMIN M., GORLIN, RICHARD, HOUSSAY, HECTOR E. J., HAYNES, FLORENCE W., AND DEXTER, LEWIS. Clinical and physiological correlations in patients with mitral stenosis. V, 2

——. (*See* Gorlin, Lewis, Haynes, and Dexter), 357

——. (*See* Martin and Lewis), 621

VAN LINGEN, B., MCGREGOR, M., KAYE, J., MEYER, M. J., JACOBS, H. D., BRAUDO, J. L., BOTHWELL, T. H., AND ELLIOTT, G. A. Clinical and cardiac catheterization findings compatible with Ebstein's anomaly of the tricuspid valve: a report of two cases, 77

——. (*See* Bothwell, van Lingen, Alper, and du Preez), 333

LIU, F. S. (*See* Ch'in, Tang, and Liu), 889

LOWN, BERNARD. (*See* Levine, Vazifdar, Lown, and Merrill), 437

M

MCCAUGHEY, RICHARD S. (*See* Iseri, Alexander, McCaughey, Boyle, and Meyers), 215

MCCOLLUM, W. T. Electrocardiographic diagnosis of infarction of the interventricular septum complicated by left bundle branch block, 299

MCGREGOR, M. (*See* van Lingen, McGregor, Kaye, Meyer, Jacobs, Braudo, Bothwell, and Elliott), 77

MCKEE, EDWARD E. (*See* Anderson and McKee), 761

MARCH, HAROLD W. (*See* Fox, Weaver, and March), 507

MARCHAND, ERNESTO J. (*See* Herrmann, Marchand, Greer, and Hejtmancik), 641

MARESH, GEORGE. (*See* Ellis, Mebane, Maresh, Hultgren, and Bloomfield), 341

MARTIN, JOHN A., AND LEWIS, BENJAMIN M. Transposition of the aorta and levoposition of the pulmonary artery, 621

MASSELL, BENEDICT F. (*See* Ehrentheil, Alimurung, and Massell), 228

MATHERS, JAMES A. L., AND LEVY, ROBERT L. The prognostic significance of the anoxemia test in coronary heart disease, 546

MEBANE, J. GILMER. (*See* Ellis, Mebane, Maresh, Hultgren, and Bloomfield), 341

MÉNDEZ, RAFAEL. (*See* Zapata-Díaz, Cabrera C., and Méndez), 854

MERRILL, ARTHUR J. The significance of the electrocardiogram in electrolyte disturbances, 634

MERRILL, JOHN P. (*See* Levine, Vazifdar, Lown, and Merrill), 437

MESSINGER, WILLIAM J. (*See* Hanenson, Kayden, and Messinger), 293

——. (*See* Weisenfeld and Messinger), 170

MEYER, M. J. (*See* van Lingen, McGregor, Kaye, Meyer, Jacobs, Braudo, Bothwell, and Elliott), 77

MILLER, HAROLD. (*See* Zinn, Cosby, Levinson, Miller, Dimitroff, Cramer, and Griffith), 451

MONROY, JOSÉ R. (*See* Cabrera C. and Monroy), 661

——. (*See* Cabrera C. and Monroy), 669

MOST, WILLIAM. (*See* Rubin and Most), 236

MUELLER, P. (*See* Scherf, Blumenfeld, and Mueller), 829

MYERS, GORDON B. (*See* Iseri, Alexander, McCaughey, Boyle, and Myers), 215

N

NADAS, ALEXANDER S., AND ALIMURUNG, MARIANO M. Apical diastolic murmurs in congenital heart disease, 691

NICOLSON, GERTRUDE B. (*See* Freireich and Nicolson), 526

NUMAINVILLE, L. J., AND SCARPELLINO, C. J. Coexistent rheumatic fever and subacute bacterial endocarditis treated with ACTH and antibiotics, 468

O

ORTEGA, PAUL. (*See* Bierman, Perkins, and Ortega), 413

P

PARRISH, ALVIN E., SUGAR, SAMUEL J. N., AND FAZEKAS, JOSEPH F. A relationship between electrocardiographic changes and hypokalemia in insulin-induced hypoglycemia, 815

PATTERSON, JACK W. (*See* Rankin and Patterson), 103

PERKINS, EVAN K. (*See* Bierman, Perkins, and Ortega), 413

PICKEL, ARTHUR C. (*See* Heyer, Howard, Willis, and Pickle), 206

POLLOCK, B. E., AND SHUEY, H. E. Isolated traumatic rupture of the interventricular septum due to blunt force, 273

POND, NORMAN E., AND HUMPHREYS, RODERICK J. Blastomycosis with cardiac involvement and peripheral embolization, 615

POPPEL, MAXWELL H. (*See* Jacobson, Poppel, Hanenson, and Dewing), 423
DU PREEZ, M. L. (*See* Bothwell, van Lingen, Alper, and du Preez), 333
PRUITT, RAYMOND D. (*See* Butcher, Wakim, Essex, Pruitt, and Burchell), 801

R

RANKIN, THOMAS J., AND PATTERSON, JACK W. Transient intraventricular block in cardiac contusion, 103
RAPPAPORT, MAURICE B., AND SPRAGUE, HOWARD B. The effects of improper fitting of stethoscope to ears on auscultatory efficiency, 713
RAY, C. T. (*See* Burch, Ray, and Berenson), 844
RICE, L., FRIEDEN, J., KATZ, L. N., ELISBERG, E. I., AND ROSENBERG, E. A case of spontaneous thrombosis of the superior vena cava with some observations on the mechanism of edema formation, 821
RICH, CLAYTON, JR., AND WEBSTER, BRUCE. The natural history of uncomplicated syphilitic aortitis, 321
RODRÍGUEZ, MARÍA ISABEL. (*See* Sodi-Pallares and Rodríguez), 27
ROGERS, H. MILTON, EVANS, IRA C., AND DOMEIER, LUVERNE H. Congenital aneurysm of the membranous portion of the ventricular septum: report of two cases, 781
ROLUFS, LLOYD S. (*See* Anderson, Rolufs, and Doerner), 252
ROSEN, IRVING. (*See* Levy, Fowler, Jacobs, Leckert, Irion, Rosen, and Chastant), 59
ROSENBAUM, FRANCIS F., AND STILES, FRANK C. An unusual mechanism of sudden death in congenital heart disease, 573
ROSENBERG, E. (*See* Rice, Frieden, Katz, Elisberg, and Rosenberg), 821
ROSENBERG, FRANK. (*See* Aquilina, Rosenberg, and Wuertz), 755
ROTTINO, ANTONIO, AND HOFFMANN, GEORGE T. Cardiac involvement in Hodgkin's disease, 115
RUBENSTEIN, EDWARD, AND AUSTIN, PERRY G. M. The combined use of aureomycin and Terramycin in the treatment of subacute enterococcal endocarditis, 922
RUBIN, IRA LLOYD, AND BUCHBERG, ABRAHAM S. The heart in progressive muscular dystrophy, 161
——, AND MOST, WILLIAM. Positional changes in Q_{AVF} and the esophageal leads induced by pneumoperitoneum, 236
RUSSEK, HENRY I., AND ZOHMAN, BURTON L. An evaluation of anticoagulant therapy in the treatment of acute myocardial infarction, 871
RYAN, JOSEPH M. (*See* Johnston, Ryan, and Bryant), 306

S

SCARPELLINO, C. J. (*See* Numainville and Scarpellino), 468
SCHAFFER, ABRAHAM I., DIX, JOHN HARLAN, AND BERGMANN, PETER. The effect of eccentricity on spatial vector analysis of the electrocardiogram of the newborn infant and on the correlation between the electrocardiogram and the vectorcardiogram, 735
——. (*See* Scherf and Schaffer), 927
SCHERF, DAVID, AND DIX, J. HARLAN. The effects of posture on A-V conduction, 494
——, AND SHAFFER, A. I. The electrocardiographic exercise test, 927
——, BLUMENFELD, S., AND MUELLER, P. A-V conduction disturbance in the presence of the pre-excitation syndrome, 829
SCHILERO, ANTHONY J. (*See* Antzis, Dunn, and Schilero), 911
SCHORR, S. (*See* Braun, de Vries, Feingold, Ehrenfeld, Feldman, and Schorr), 773
SCHREINER, GEORGE E., AND KELLEY, ROBERT T. Ventricular tachycardia following procaine amide hydrochloride (Pronestyl) and quinidine, 749
SCOTT, RALPH C. (*See* Fowler, Westcott, Scott, and Taguchi), 521
SHUEY, H. E. (*See* Pollock and Shuey), 273
SIMONSON, ERNST. Effect of the change from supine to sitting position on the chest leads, 53
SLATER, S. R., KROOP, I. G., AND ZUCKERMAN, S. Constrictive pericarditis caused by solitary metastatic carcinosis of the pericardium and complicated by radiation fibrosis of the mediastinum, 401
SMIRK, F. HORACE, AND CHAPMAN, OLIVER W. Comparison of the effects of veratrum alkaloids and of hexamethonium bromide upon the blood pressure in arterial hypertension, 586
SMITH, J. CHANDLER. Hypoplasia of the right and thrombosis of the left coronary artery with rupture of the left ventricle: a case report, 796
SMULL, NED W., AND LAMB, LAWRENCE E. Interauricular septal defect, 481
SODEMAN, WILLIAM A. Direct venous pressure determinations by use of a new instrument, 687
——. Emetine therapy and heart disease, 582
SODI-PALLARES, DEMETRIO, AND RODRÍGUEZ, MARÍA ISABEL. Morphology of the unipolar leads recorded at the septal surfaces. Its application to the diagnosis of left bundle branch block complicated by myocardial infarction, 27
——, BISTENI, ABDO, AND HERRMANN, GEORGE R. Some views on the significance of qR and QR type complexes in right precordial leads in the absence of myocardial infarction, 716
SPRAGUE, HOWARD B. (*See* Rappaport and Sprague), 713

SPRING, MAXWELL, AND WARDELL, HELENE. Tetralogy of Fallot with subacute bacterial endocarditis. Successful treatment with Chloromycetin, 918
STILES, FRANK C. (*See* Rosenbaum and Stiles), 573
SUGAR, SAMUEL J. N. (*See* Parrish, Sugar, and Fazekas), 815
SWANN, WALTER C. Interventricular septal defect complicated by pregnancy, 900

T

TAGUCHI, JAMES. (*See* Fowler, Westcott, Scott, and Taguchi), 521
TANG, M. Y. (*See* Ch'in, Tang, and Liu), 889

V

VAZIFDAR, JEHANGIR P. (*See* Levine, Vazifdar, Lown, and Merrill), 437
DE VRIES, A. (*See* Braun, de Vries, Feingold, Ehrenfeld, Feldman, and Schorr), 773

W

WAKIM, KHALIL G. (*See* Butcher, Wakim, Essex, Pruitt, and Burchell), 801
WARDELL, HELENE. (*See* Spring and Wardell), 918
WATTS, RICHARD W. Coarctation of the aorta complicated by acute bacterial endocarditis with embolism of a coronary artery and syphilitic aortitis, 111
WEAVER, JOHN. (*See* Fox, Weaver, and March), 507
WEBSTER, BRUCE. (*See* Rich and Webster), 321
WEISENFELD, SHIRLEY, AND MESSINGER, WILLIAM J. Cardiac involvement in progressive muscular dystrophy, 170
WESTCOTT, RICHARD N. (*See* Fowler, Westcott, Scott, and Taguchi), 521
WETHERBEE, DONALD G., HOLZMAN, DANIEL, AND BROWN, MORTON G. Ventricular tachycardia following the administration of quinidine, 89
WHITAKER, W. Subacute bacterial endocarditis complicated by intermittent complete heart block and Stokes-Adams attacks, 900
WILLIS, KATHRYN W. (*See* Heyer, Howard, Willis, and Pickle), 206
WISHAM, LAWRENCE H., AND YALOW, ROSALYN S. Some factors affecting the clearance of Na^{24} from human muscle, 67
WUERTZ, ROBERT L. (*See* Aquilina, Rosenberg and Wuertz), 755
WYLIE, ROBERT H. (*See* Kuschner, Ferrer, Harvey, and Wylie), 286

Y

YALOW, ROSALYN S. (*See* Wisham and Yalow), 67

Z

ZAPATA-DÍAZ, JORGE, CABRERA C., ENRIQUE, AND MÉNDEZ, RAFAEL. An experimental and clinical study on the effects of procaine amide (Pronestyl) on the heart, 854
ZIEGLER, ROBERT F. The importance of patent ductus arteriosus in infants, 553
ZINN, WILLARD J., COSBY, RICHARD S., LEVINSON, DAVID C., MILLER, HAROLD, DIMITROFF, SIM P., CRAMER, FRANK B., AND GRIFFITH, GEORGE C. The use of oral quinidine and procaine amide as premedications for cardiac catheterization, 451
ZOHMAN, BURTON L. (*See* Russek and Zohman), 871
ZUCKERMAN, S. (*See* Slater, Kroop, and Zuckerman), 401

SUBJECT INDEX

A

ACTH and antibiotics, coexistent rheumatic fever and subacute bacterial endocarditis treated with (Numainville and Scarpellino), 468

Agency, social, role of, in rehabilitation program for cardiac patient (Hochhauser), 743

Alkaloids, veratrum, comparison of effects of, and of hexamethonium bromide upon blood pressure in arterial hypertension (Smirk and Chapman), 586

Aneurysm, congenital, of membranous portion of ventricular septum: report of two cases (Rogers et al.), 781

dissecting, coarctation of aorta complicated by, in pregnancy: report of case with survival, studied by arteriography (Furman et al.), 765

Angiocardiographic confirmation of pericardial effusion (Levy et al.), 59

Angiocardiography (annals of roentgenology, vol. XX), 479 (B. Rev.)

Announcements, 320, 640

Antibiotic therapy, combined, recovery following; subacute *Staphylococcus aureus* endocarditis (Harris and Fishburn), 474

Antibiotics, coexistent rheumatic fever and subacute bacterial endocarditis treated with ACTH and (Numainville and Scarpellino), 468

Anticoagulant therapy, evaluation of, in treatment of acute myocardial infarction (Russek and Zohman), 871

Anticoagulants: Dicumarol, heparin, and Tromexan used in treatment of acute myocardial infarction (Russek and Zohman), 871

Anxiety, second-degree heart block and Wenckebach phenomenon associated with (Benedict and Evans), 626

Aorta, coarctation of (Clarke and Dodrill), 108

complicated by acute bacterial endocarditis, with embolism of coronary artery and syphilitic aortitis (Watts), 111

by dissecting aneurysm in pregnancy: report of case with survival, studied by arteriography (Furman et al.), 765

complete dextroposition of, pulmonary stenosis, interventricular septal defect, and patent foramen ovale (Braun et al.), 773

transposition of, and levoposition of pulmonary artery (Martin and Lewis), 621

Aortitis, rheumatic, and arteritis, review of histopathology of, and occurrence of thrombosis (Ch'in et al.), 889

syphilitic, coarctation of aorta complicated by acute bacterial endocarditis with embolism of coronary artery and (Watts), 111

uncomplicated, natural history of (Rich and Webster), 321

Arrhythmia, sinus, variation of P-R interval in, and its possible relation to Wenckebach phenomenon (Ehrenthiel et al.), 228

Arrhythmias, on mechanism of, in aberrant atrioventricular conduction (Wolff-Parkinson-White) (Fox et al.), 507

Arterial hypertension, comparison of effects of veratrum alkaloids and of hexamethonium bromide upon blood pressure in (Smirk and Chapman), 586

Arteritis, review of histopathology of rheumatic aortitis and, and occurrence of thrombosis (Ch'in et al.), 889

Artery, coronary, embolism of, and syphilitic aortitis, coarctation of aorta complicated by acute bacterial endocarditis with (Watts), 111

left, electrocardiographic and morphologic study of changes following ligation of, in human beings: report of two cases (Graham and Laforet), 42

hypoplasia of right and thrombosis of, with rupture of left ventricle: case report (Smith), 796

pulmonary, dilatation, mitral stenosis and (Lewis et al.), 20

transposition of aorta and levoposition of (Martin and Lewis), 621

Arzneitherapie der herzkrankheiten, 318 (B. Rev.)

Atresia, tricuspid, congenital (Anderson and McKee), 761

Atrial enlargement, left (Jacobson et al.), 423

Atrioventricular conduction, aberrant, (Wolff-Parkinson-White), on mechanism of arrhythmias in (Fox et al.), 507

Atropine and quinidine therapy in paroxysmal ventricular tachycardia (Antzis et al.), 911

Aureomycin and Terramycin, combined use of, in treatment of subacute enterococcal endocarditis (Rubenstein and Austin), 922

failure of penicillin, streptomycin, and, in treatment of enterococcal subacute endocarditis (Rubenstein and Austin), 922

Auricular appendages, surgically removed, rheumatic carditis in (Kuschner et al.), 286

dilatation, left, mitral stenosis and (Lewis et al.), 18

fibrillation, mitral stenosis and (Lewis et al.), 17

Auscultatory efficiency, effects of improper fitting of stethoscope to ears on (Rappaport and Sprague), 713

A-V conduction disturbance in presence of preexcitation syndrome (Scherf et al.), 829

effects of posture on (Scherf and Dix), 494

B

Bacterial endocarditis, acute, with embolism of coronary artery and syphilitic aortitis, coarctation of aorta complicated by (Watts), 111
subacute, coexistent rheumatic fever and, treated with ACTH and antibiotics (Numainville and Scarpellino), 468
complicated by intermittent complete heart block and Stokes-Adams attacks (Whitaker), 904
tetralogy of Fallot with. Successful treatment with Chloromycetin (Spring and Wardell), 918
Ballistocardiogram, electromagnetic, identification of complexes of, in single channel (Blackman), 840
Bilharzia, pulmonary heart disease due to: bilharzial cor pulmonale (Girgis), 606
Blastomycosis with cardiac involvement and peripheral embolization (Pond and Humphreys), 615
Blood flow, regulation of, mitral regurgitation and stenosis (Gorlin et al.), 379
pressure in arterial hypertension, comparison of effects of veratrum alkaloids and of hexamethonium bromide upon (Smirk and Chapman), 586
Book reviews, 157, 316, 479, 800
Bundle branch block:
left, complete or incomplete, with anterolateral infarction of free wall of left ventricle and low septal involvement of more or less extensive, but not massive, nature (Sodi-Pallares and Rodríguez), 33
complicated by myocardial infarction, its application to diagnosis of; morphology of unipolar leads recorded at septal surfaces (Sodi-Pallares and Rodríguez), 27
electrocardiographic diagnosis of infarction of interventricular septum complicated by (McCollum), 299
morphology of unipolar leads over septal surfaces of dog heart in cases of (Sodi-Pallares and Rodríguez), 29
right, morphology of unipolar leads at septal surfaces of dog heart in cases of (Sodi-Pallares and Rodríguez), 30

C

Calcium and potassium, physiologic antagonism of (Butcher et al.), 801
Carcinosis, metastatic, solitary, constrictive pericarditis caused by, and complicated by radiation fibrosis of mediastinum (Slater et al.), 401
Cardiac and skeletal muscle, water and electrolyte content of, in heart failure and myocardial infarction (Iseri et al.), 215
catheterization, clinical and, findings compatible with Ebstein's anomaly of tricuspid valve: report of two cases (van Lingen et al.), 77
use of oral quinidine and procaine amide as premedication for (Zinn et al.), 451
Cardiac—Cont'd
complications of hemochromatosis (Bothwell et al.), 333
contusion, transient intraventricular block in (Rankin and Patterson), 103
enlargement, mitral stenosis in (Lewis et al.), 15
involvement and peripheral embolization, blastomycosis with (Pond and Humphreys), 615
in Hodgkin's disease (Rottino and Hoffmann), 115
in progressive muscular dystrophy (Weisenfeld and Messinger), 170
patient, role of social agency in rehabilitation program for (Hochhauser), 743
Cardiology, approach to, 479 (B. Rev.)
Cardiovascular system, effect of myxedema on (Ellis et al.), 341
Carditis, rheumatic, in surgically removed auricular appendages (Kuschner et al.), 286
Catheterization, cardiac, clinical and, findings compatible with Ebstein's anomaly of tricuspid valve: report of two cases (van Lingen et al.), 77
use of oral quinidine and procaine amide as premedications for (Zinn et al.), 451
Cations, effect of changes in concentration of, on electrocardiogram of isolated perfused heart (Butcher et al.), 801
Channel, single, identification of complexes of electromagnetic ballistocardiogram in (Blackman), 840
Chest leads, effect of change from supine to sitting position on (Simonson), 53
Chloromycetin, successful treatment with; tetralogy of Fallot with subacute bacterial endocarditis (Spring and Wardell), 918
Circulatory dynamics, studies of, at rest in mitral valvular regurgitation with and without stenosis (Gorlin et al.), 357
Clinical electrocardiography, 318 (B. Rev.)
Coarctation of aorta (Clarke and Dodrill), 108
complicated by acute bacterial endocarditis with embolism of coronary artery and syphilitic aortitis (Watts), 111
by dissecting aneurysm in pregnancy: report of case with survival, studied by arteriography (Furman et al.), 765
Collagen diseases:
dermatomyositis (Ehrich), 142
generalized scleroderma (Ehrich), 141
lupus erythematosus disseminatus (Ehrich), 138
nature of (Ehrich), 121
pathologic physiology and morphology of (Ehrich), 132
periarteritis nodosa (Ehrich), 145
rheumatic fever (Ehrich), 132
rheumatoid arthritis (Ehrich), 136
serum sickness (Ehrich), 143
Complexes of electromagnetic ballistocardiogram, identification of, in single channel (Blackman), 840
Conduction, A-V, disturbance in presence of pre-excitation syndrome (Scherf et al.), 829

Congenital heart disease, apical diastolic murmurs in (Nadas and Alimurung), 691
unusual mechanism of sudden death in (Rosenbaum and Stiles), 573
Congestive heart failure, alterations of rapid filling phase in (Heyer et al.), 206
response of peripheral venous pressure to exercise in (Albert and Eichna), 395
Connective tissue, pathology of (Ehrich), 128
physiology of (Ehrich), 121
Constrictive pericarditis caused by solitary metastatic carcinosis of pericardium and complicated by radiation fibrosis of mediastinum (Slater et al.), 401
Contusion, cardiac, transient intraventricular block in (Rankin and Patterson), 103
Cor pulmonale, acute, electrocardiographic diagnosis of (Eliaser and Giansiracusa), 533
bilharzial; pulmonary heart disease due to bilharzia (Girgis), 606
Coronary artery, embolism of, and syphilitic aortitis, coarctation of aorta complicated by acute bacterial endocarditis with (Watts), 111
left, electrocardiographic and morphologic study of changes following ligation of, in human beings: report of two cases (Graham and Laforet), 42
hypoplasia of right and thrombosis of, with rupture of left ventricle: case report (Smith), 796
heart disease, prognostic significance of anoxemia test in (Mathers and Levy), 546
occlusion, intra-arterial infusion in treatment of shock resulting from (Berman and Akman), 264

D

Death, sudden, unusual mechanism of, in congenital heart disease (Rosenbaum and Stiles), 573
Dermatomyositis; pathologic physiology and morphology of collagen disease (Ehrich), 142
Dextroposition, complete, of aorta, pulmonary stenosis, interventricular septal defect, and patent foramen ovale (Braun et al.), 773
Diastolic murmurs, apical, in congenital heart disease (Nadas and Alimurung), 691
systolic and, loading of heart. I. Physiologic and clinical data (Cabrera C. and Monroy), 661
II. Electrocardiographic data (Cabrera C. and Monroy), 669
Dicumarol, heparin, and Tromexan; anticoagulants used in treatment of acute myocardial infarction (Russek and Zohman), 871
Die orale strophanthin-behandlung, 318 (B. Rev.)
Diet, low-sodium; manual for patient, 318 (B. Rev.)
Doctor's heart, from a, 160 (B. Rev.)
Dyspnea, exertional, mitral stenosis in (Lewis et al.), 10
nocturnal, paroxysmal, relation of, to mitral stenosis (Lewis et al.), 13
Dystrophy, muscular, progressive, cardiac involvement in (Weisenfeld and Messinger), 170
heart in (Rubin and Buchberg), 161

E

Ears, effects of improper fitting of stethoscope to, on auscultatory efficiency (Rappaport and Sprague), 713
Ebstein's anomaly of tricuspid valve, clinical and cardiac catheterization findings compatible with: report of two cases (van Lingen et al.), 77
Eccentricity, effect of, on spatial vector analysis of electrocardiogram of newborn infant and on correlation between electrocardiogram and vectorcardiogram (Schaffer et al.), 735
Edema and hepatomegaly, mitral stenosis and (Lewis et al.), 16
formation, case of spontaneous thrombosis of superior vena cava with some observations on mechanism of (Rice et al.), 821
Editorial, 1
Effusion, pericardial, angiocardiographic confirmation of (Levy et al.), 59
Electrocardiografia, nuevas bases de, 479 (B. Rev.)
Electrocardiogram and position of heart (Johnston et al.), 306
and serum concentration of potassium (Merrill), 635
of isolated perfused heart, effect of changes in concentration of cations on (Butcher et al.), 801
of newborn infant, effect of eccentricity on spatial vector analysis of, and on correlation between electrocardiogram and vectorcardiogram (Schaffer et al.), 735
significance of, in electrolyte disturbances (Merrill), 634
Electrocardiographic and morphologic study of changes following ligation of left coronary artery in human beings: report of two cases (Graham and Laforet), 42
changes and hypokalemia, relationship between, in insulin-induced hypoglycemia (Parrish et al.), 815
under emetine therapy (González de Cosío), 456
data. II. Systolic and diastolic loading of heart (Cabrera C. and Monroy), 669
diagnosis of acute cor pulmonale (Eliaser and Giansiracusa), 533
of infarction of interventricular septum complicated by left bundle branch block (McCollum), 299
exercise test (Scherf and Schaffer), 927
finding, rare, occasionally seen in single ventricle hearts (Freireich and Nicholson), 526
recordings, intraventricular pressure and, of dying rabbit heart (Franke et al.), 246
Electrocardiography, clinical, 318 (B. Rev.)
Electrolyte disturbances, significance of electrocardiogram in (Merrill), 634

Electrolyte—Cont'd
imbalance, (hypocalcemia, hyponatremia) with or without hyperkalemia, miscellaneous cases with "tent-shaped" T waves associated with (Group D) (Levine et al.), 442
water and, content of cardiac and skeletal muscle in heart failure and myocardial infarction (Iseri et al.), 215
Electromagnetic ballistocardiogram, identification of complexes of, in single channel (Blackman), 840
Electron microscopic histology of the heart, 800 (B. Rev.)
Elektrokardiogramm, das, 157 (B. Rev.)
Embolism of coronary artery and syphilitic aortitis, coarctation of aorta complicated by acute bacterial endocarditis with (Watts), 111
Embolization, peripheral, blastomycosis with cardiac involvement and (Pond and Humphreys), 615
Emetine therapy and heart disease (Sodeman), 582
electrocardiographic changes under (González de Cossío), 456
Endocarditis, bacterial, acute, with embolism of coronary artery and syphilitic aortitis, coarctation of aorta complicated by (Watts), 111
subacute, coexistent rheumatic fever and, treated with ACTH and antibiotics (Numainville and Scarpellino), 468
complicated by intermittent complete heart block and Stokes-Adams attacks (Whitaker), 904
tetralogy of Fallot with. Successful treatment with Chloromycetin (Spring and Wardell), 918
enterococcal, subacute, combined use of aureomycin and Terramycin in treatment of (Rubenstein and Austin), 922
failure of penicillin, streptomycin, and aureomycin in treatment of (Rubenstein and Austin), 922
Staphylococcus aureus, subacute: recovery following combined antibiotic therapy (Harris and Fishburn), 474
Enterococcal endocarditis, subacute, combined use of aureomycin and Terramycin in treatment of (Rubenstein and Austin), 922
failure of penicillin, streptomycin, and aureomycin in treatment of (Rubenstein and Austin), 922
Esophageal leads induced by pneumoperitoneum, positional changes in Q_{AVF} and (Rubin and Most), 236
Etudes pratiques de vectographie, 316 (B. Rev.)
Exercise, response of peripheral venous pressure to, in congestive heart failure (Albert and Eichna), 395
test, electrocardiographic (Scherf and Schaffer), 927
Eyeball pressure, ventricular fibrillation following, in case of paroxysmal supraventricular tachycardia (Landman and Ehrenfeld), 791

F

Fibrillation, ventricular, following eyeball pressure in case of paroxysmal supraventricular tachycardia (Landman and Ehrenfeld), 791
Fibrosis, radiation, of mediastinum, constrictive pericarditis caused by solitary metastatic carcinosis of pericardium and complicated by (Slater et al.), 401
Filling phase, rapid, alterations of, in congestive heart failure (Heyer et al.), 206
Finger tip, changes in volume of, recorded by plethysmograph (Burch et al.), 844
study of volume-time course of pulse wave of (Burch et al.), 844

G

Gangrene resulting from thromboarteritis, apparently of rheumatic fever origin (Ch'in et al.), 889

H

Heart block, complete, intermittent, subacute bacterial endocarditis complicated by, and Stokes-Adams attacks (Whitaker), 904
second-degree, and Wenckebach phenomenon associated with anxiety (Benedict and Evans), 626
disease, congenital, apical diastolic murmurs in (Nadas and Alimurung), 691
unusual mechanism of sudden death in (Rosenbaum and Stiles), 573
coronary, prognostic significance of anoxemia test in (Mathers and Levy), 546
emetine therapy and (Sodeman), 582
in pregnancy, 157 (B. Rev.)
lymphocytopenia in (Altschul), 653
pulmonary, due to bilharzia: bilharzial cor pulmonale (Girgis), 606
rheumatic, further observations and application to diagnosis of; phonocardiographic differentiation of vibratory (functional) murmurs from those of valvular insufficiency (Harris and Friedman), 707
doctor's, from a, 160 (B. Rev.)
electrocardiogram and position of (Johnston et al.), 306
electron microscopic histology of heart, 800 (B. Rev.)
experimental and clinical study on effects of procaine amide (Pronestyl) on (Zapata-Díaz et al.), 854
failure and myocardial infarction, water and electrolyte content of cardiac and skeletal muscle in (Iseri et al.), 215
congestive, alterations of rapid filling phase in (Heyer et al.), 206
response of peripheral venous pressure to exercise in (Albert and Eichna), 395
ligation of vena cava in treatment of (Cossio), 97
in progressive muscular dystrophy (Rubin and Buchberg), 161
perfused, isolated, effect of changes in concentration of cations on electrocardiogram of (Butcher et al.), 801

Heart—Cont'd
rabbit, dying, intraventricular pressure and electrocardiographic recordings of (Franke et al.), 246
systolic and diastolic loading of. II. Electrocardiographic data (Cabrera C. and Monroy), 669
Hearts, single ventricle, rare electrocardiographic finding occasionally seen in (Freireich and Nicolson), 526
Hemochromatosis, cardiac complications of (Bothwell et al.), 333
Hemoptysis as prominent symptom in mitral stenosis (Lewis et al.), 12
Heparin, Dicumarol, and Tromexan; anticoagulants used in treatment of acute myocardial infarction (Russek and Zohman), 871
Hepatomegaly, edema and, in mitral stenosis (Lewis et al.), 16
Herzkrankheiten, arzneitherapie der, 318 (B. Rev.)
Hexamethonium bromide, comparison of effects of veratrum alkaloids and of, upon blood pressure in arterial hypertension (Smirk and Chapman), 586
toxic or side effects of (Smirk and Chapman), 600
Histology, microscopic, electron, of heart, 800 (B. Rev.)
Hodgkin's disease, cardiac involvement in (Rottino and Hoffmann), 115
Hydraulic formula for calculation of cross-sectional area of mitral valve during regurgitation (Gorlin and Dexter), 188
for mitral valve area; derivation of general formula (Gorlin and Dexter), 191
Hypertension, arterial, comparison of effects of veratrum alkaloids and of hexamethonium bromide upon blood pressure in (Smirk and Chapman), 586
Hypertrophy, left ventricular, "tent-shaped" T waves in presence of (Group A) (Levine et al.), 438
right ventricular, effect of induced ventricular premature systoles upon precordial QRS pattern in case of (Fowler et al.), 521
Hypoglycemia, insulin-induced, relationship between electrocardiographic changes and hypokalemia in (Parrish et al.), 815
Hypokalemia, relationship between electrocardiographic changes and, in insulin-induced hypoglycemia (Parrish et al.), 815
Hypoplasia of right and thrombosis of left coronary artery with rupture of left ventricle: case report (Smith), 796

I

Infant, newborn, effect of eccentricity on spatial vector analysis of electrocardiogram of, and on correlation between electrocardiogram and vectorcardiogram (Schaffer et al.), 735
Infants, importance of patent ductus arteriosus in (Ziegler), 553
Infarction, myocardial, acute, evaluation of anticoagulant therapy in treatment of (Russek and Zohman), 871
Infarction, myocardial—Cont'd
its application to diagnosis of left bundle branch block complicated by; morphology of unipolar leads recorded at septal surfaces (Sodi-Pallares and Rodríguez), 27
some views on significance of qR and QR type complexes in right precordial leads in absence of (Sodi-Pallares et al.), 716
water and electrolyte content of cardiac and skeletal muscle in heart failure and (Iseri et al.), 215
of anterolateral portion of free wall of left ventricle with little or no involvement of septum, complete or incomplete left bundle branch block plus (Sodi-Pallares and Rodríguez), 31
of interventricular septum complicated by left bundle branch block, electrocardiographic diagnosis of (McCollum), 299
Infusion, intra-arterial, in treatment of shock resulting from coronary occlusion (Berman and Akman), 264
Instrument, new, direct venous pressure determinations by use of (Sodeman), 687
Insufficiency, valvular, phonocardiographic differentiation of vibratory (functional) murmurs from those of: further observations and application to diagnosis of rheumatic heart disease (Harris and Friedman), 707
Insulin-induced hypoglycemia, relation of serum potassium alterations to electrocardiographic changes in man in (Parrish et al.), 815
relationship between electrocardiographic changes and hypokalemia in (Parrish et al.), 815
Inter-American Cardiological Congress, Fourth, announcement, 320
Interauricular septal defect (Smull and Lamb), 481
Interventricular septal defect, and patent foramen ovale, complete dextroposition of aorta, pulmonary stenosis (Braun et al.), 773
complicated by pregnancy (Swann), 900
septum, complete or incomplete left bundle branch block, associated with massive infarction of, with extensive involvement of free wall of left ventricle (Sodi-Pallares and Rodríguez), 38
electrocardiographic diagnosis of infarction of, complicated by left bundle branch block (McCollum), 299
isolated traumatic rupture of, due to blunt force (Pollock et al.), 273
Intoxication, potassium, "tent-shaped" T waves of normal amplitude in (Levine et al.), 437
Intra-arterial infusion in treatment of shock resulting from coronary occlusion (Berman and Akman), 264
Intraventricular block, transient, in cardiac contusion (Rankin and Patterson), 103

Intraventricular—Cont'd
potential, left. Morphology of unipolar leads (Sodi-Pallares and Rodríguez), 31
pressure and electrocardiographic recordings of dying rabbit heart (Franke et al.), 246

K

Kymographische röntgendiagnostik. Zur beurteilung des herzens in beispielen, 800 (B. Rev.)

L

Leads, chest, effect of change from supine to sitting position on (Simonson), 53
precordial, right, some views on significance of qR and QR type complexes in, in absence of myocardial infarction (Sodi-Pallares et al.), 716
unipolar, recorded at septal surfaces, morphology of. Its application to diagnosis of left bundle branch block complicated by myocardial infarction (Sodi-Pallares and Rodríguez), 27
Leukemia, pericarditis in patients with (Bierman et al.), 413
Loading, systolic and diastolic, of heart. I. Physiologic and clinical data (Cabrera C. and Monroy), 661
Low-sodium diet; manual for patient, 318 (B. Rev.)
Lupus erythematosus disseminatus; pathologic physiology and morphology of collagen diseases (Ehrich), 138
Lymphocytopenia in heart disease (Altschul), 653

M

Mediastinum, constrictive pericarditis caused by solitary metastatic carcinosis of pericardium and complicated by radiation fibrosis of (Slater et al.), 401
Medicine, 1951 year book of, 319 (B. Rev.)
Metastatic carcinosis, solitary, of pericardium, constrictive pericarditis caused by, and complicated by radiation fibrosis of mediastinum (Slater et al.), 401
Microscopic, electron, histology of heart, 800 (B. Rev.)
Mitral stenosis and regurgitation, interrelationship of (Gorlin et al.), 386
auricular fibrillation in (Lewis et al.), 17
cardiac enlargement in (Lewis et al.), 15
clinical and physiologic correlations in patients with. V. (Lewis et al.), 2
edema and hepatomegaly in (Lewis et al.), 16
exertional dyspnea in (Lewis et al.), 10
fatigue in (Lewis et al.), 12
hemoptysis as prominent symptom of (Lewis et al.), 12
left auricular dilatation in (Lewis et al.), 18
pathologic sources of disability in (Lewis et al.), 2
physiologic interrelations of (Lewis et al.), 7
P-wave changes in (Lewis et al.), 18
relation of paroxysmal nocturnal dyspnea and (Lewis et al.), 13
Mitral stenosis—Cont'd
right ventricular hypertrophy in (Lewis et al.), 17
valve, hydraulic formula for calculation of cross-sectional area of, during regurgitation (Gorlin and Dexter), 188
valvular regurgitation with and without stenosis, studies of circulatory dynamics at rest in (Gorlin et al.), 357
Morphologic, electrocardiographic and, study of changes following ligation of left coronary artery in human beings: report of two cases (Graham and Laforet), 42
Morphology of unipolar leads recorded at septal surfaces. Its application to diagnosis of left bundle branch block complicated by myocardial infarction (Sodi-Pallares and Rodríguez), 27
Murmurs, diastolic, apical, in congenital heart disease (Nadas and Alimurung), 691
vibratory (functional), phonocardiographic differentiation of, from those of valvular insufficiency: further observations and application to diagnosis of rheumatic heart disease (Harris and Friedman), 707
Muscle, cardiac and skeletal, water electrolyte content of, in heart failure and myocardial infarction (Iseri et al.), 215
human, some factors affecting clearance of Na^{24} from (Wisham and Yalow), 67
Muscular dystrophy, progressive, cardiac involvement in (Weisenfeld and Messinger), 170
heart in (Rubin and Buchberg), 161
Myocardial infarction, acute, evaluation of anticoagulant therapy in treatment of (Russek and Zohman), 871
its application to diagnosis of left bundle branch block complicated by; morphology of unipolar leads recorded at septal surfaces (Sodi-Pallares and Rodríguez), 27
some views on significance of qR and QR type complexes in right precordial leads in absence of (Sodi-Pallares et al.), 716
water and electrolyte content of cardiac and skeletal muscle in heart failure and (Iseri et al.), 215
Myxedema, effect of, on cardiovascular system (Ellis et al.), 341

N

Na^{24}, some factors affecting clearance of, from human muscle (Wisham and Yalow), 67
Nodal tachycardia in case of Rocky Mountain spotted fever (Aquilina), 755

O

Occlusion, coronary, intra-arterial infusion in treatment of shock resulting from (Berman and Akman), 264

P

Paroxysmal supraventricular tachycardia, ventricular fibrillation following eyeball pressure in case of (Landman and Ehrenfeld), 791
ventricular tachycardia, Pronestyl (procaine amide) therapy in (Antzis et al.), 911
Patent ductus arteriosus, importance of, in infants (Ziegler), 553
foramen ovale, complete dextroposition of aorta, pulmonary stenosis, interventricular septal defect, and (Braun et al.), 773
Penicillin, streptomycin, and aureomycin, failure of, in treatment of enterococcal subacute endocarditis (Rubenstein and Austin), 922
Perfused heart, isolated, effect of changes in concentration of cations on electrocardiogram of (Butcher et al.), 801
Periarteritis nodosa; pathologic physiology and morphology of collagen diseases (Ehrich), 145
Pericardial effusion, angiocardiographic confirmation of (Levy et al.), 59
Pericarditis (Herrmann et al.), 641
constrictive, caused by solitary metastatic carcinosis of pericardium and complicated by radiation fibrosis of mediastinum (Slater et al.), 401
in patients with leukemia (Bierman et al.), 413
Pericardium, constrictive pericarditis caused by solitary metastatic carcinosis of, and complicated by radiation fibrosis of mediastinum (Slater et al.), 401
Peripheral embolization, blastomycosis with cardiac involvement and (Pond and Humphreys), 615
venous pressure, response of, to exercise in congestive heart failure (Albert and Eichna), 395
Pharmacologic tests, use of, in diagnosis of pheochromocytoma (Anderson et al.), 252
Pheochromocytoma, use of pharmacologic tests in diagnosis of (Anderson et al.), 252
Phonocardiographic differentiation of vibratory (functional) murmurs from those of valvular insufficiency: further observations and application to diagnosis of rheumatic heart disease (Harris and Friedman), 707
Physiology of shock, 317 (B. Rev.)
Plethysmograph, changes in volume of finger tip recorded by (Burch et al.), 844
Pneumoperitoneum, positional changes in Q_{AVF} and esophageal leads induced by (Rubin and Most), 236
Position, sitting, effect of change from supine to, on chest leads (Simonson), 53
Posture, effects of, on A-V conduction (Scherf and Dix), 494
Potassium, electrocardiogram and serum concentration of (Merrill), 635
intoxication, "tent-shaped" T waves of normal amplitude in (Levine et al.), 437
Potassium—Cont'd
physiologic antagonism of calcium and (Butcher et al.), 801
of sodium and (Butcher et al.), 801
serum, alterations, relation of, to electrocardiographic changes in man in insulin-induced hypoglycemia (Parrish et al.), 815
P-R interval, variation of, in sinus arrhythmia and its possible relation to Wenckebach phenomenon (Ehrentheil et al.), 228
Precordial leads, complete or incomplete block of left bundle branch with, that erroneously suggest right bundle branch block associated with anterolateral infarction of free wall of left ventricle and with more or less extensive, although not massive, septal involvement (Sodi-Pallares and Rodríguez), 35
right, some views on significance of qR and QR type complexes in, in absence of myocardial infarction (Sodi-Pallares et al.), 716
QRS pattern in case of right ventricular hypertrophy, effect of induced ventricular premature systoles upon (Fowler et al.), 521
Pre-excitation syndrome, A-V conduction disturbance in presence of (Scherf et al.), 829
Pregnancy, coarctation of aorta complicated by dissecting aneurysm in: report of case with survival, studied by arteriography (Furman et al.), 765
heart disease in, 157 (B. Rev.)
interventricular septal defect complicated by (Swann), 900
Pressure, blood, in arterial hypertension, comparison of effects of veratrum alkaloids and of hexamethonium bromide upon (Smirk and Chapman), 586
eyeball, ventricular fibrillation following, in case of paroxysmal supraventricular tachycardia (Landman and Ehrenfeld), 791
intraventricular, and electrocardiographic recordings of rabbit heart (Franke et al.), 246
venous, direct, determinations by use of new instrument (Sodeman), 687
peripheral, response of, to exercise in congestive heart failure (Albert and Eichna), 395
Procaine amide hydrochloride (Pronestyl) and quinidine, ventricular tachycardia following (Schreiner and Kelley), 749
(Pronestyl), experimental and clinical study on effects of, on heart (Zapata-Díaz et al.), 854
recurrent ventricular tachycardia treated with (Hanenson et al.), 293
use of oral quinidine and, as premedication for cardiac catheterization (Zinn et al.), 451
Prognostic significance of anoxemia test in coronary heart disease (Mathers and Levy), 546

Program, rehabilitation, for cardiac patient, role of social agency in (Hochhauser), 743
Pronestyl, effects of (Antzis et al.), 911
(procaine amide) therapy in paroxysmal ventricular tachycardia (Antzis et al.), 911
Prostigmine, sensitivity to (Antzis et al.), 911
Pulmonary artery, circuit and right ventricle, effect of mitral regurgitation on (Gorlin et al.), 376
dilatation in (Lewis et al.), 20
transposition of aorta and levoposition of (Martin and Lewis), 621
heart disease due to bilharzia: bilharzial cor pulmonale (Girgis), 606
stenosis, interventricular septal defect, and patent foramen ovale, complete dextroposition of aorta (Braun et al.), 773
Pulse rate, effect of hexamethonium bromide on blood pressure and. II. (Smirk and Chapman), 594
of veratrum alkaloids on blood pressure and. I. (Smirk and Chapman), 588
wave of finger tip, study of volume-time course of (Burch et al.), 844
P-wave changes in mitral stenosis (Lewis et al.), 18

Q

QAVF, positional changes in, and esophageal leads induced by pneumoperitoneum (Rubin and Most), 236
qR and QR type complexes, some views on significance of, in right precordial leads in absence of myocardial infarction (Sodi-Pallares et al.), 716
QR, qR and, type complexes, some views on significance of, in right precordial leads in absence of myocardial infarction (Sodi-Pallares et al.), 716
QRS pattern, precordial, in case of right ventricular hypertrophy, effect of induced ventricular premature systoles upon (Fowler et al.), 521
Quantitative stethoscope and its clinical applications (Lepeschkin), 881
Quinidine, atropine and, therapy in paroxysmal ventricular tachycardia (Antzis et al.), 911
oral, and procaine amide, use of, as premedications for cardiac catheterization (Zinn et al.), 451
ventricular tachycardia following administration of (Wetherbee et al.), 89
following procaine amide hydrochloride (Pronestyl) and (Schreiner and Kelley), 749

R

Rabbit heart, dying, intraventricular pressure and electrocardiographic recordings of (Franke et al.), 246
Radiation fibrosis of mediastinum, constrictive pericarditis caused by solitary metastatic carcinosis of pericardium and complicated by (Slater et al.), 401
Regurgitation, effect of, on left ventricle and systemic circuit (Gorlin et al.), 373
Regurgitation—Cont'd
hydraulic formula for calculation of cross-sectional area of mitral valve during (Gorlin and Dexter), 188
interrelationship of mitral stenosis and (Gorlin et al.), 386
mitral, effect of, on pulmonary circuit and right ventricle (Gorlin et al.), 376
valvular, with and without stenosis, studies of circulatory dynamics at rest in (Gorlin et al.), 357
Rehabilitation program for cardiac patient, role of social agency in (Hochhauser), 743
Rheumatic aortitis and arteritis, review of histopathology of, and occurrence of thrombosis (Ch'in et al.), 889
carditis in surgically removed auricular appendages (Kuschner et al.), 286
fever, coexistent, and subacute bacterial endocarditis treated with ACTH and antibiotics (Numainville and Scarpellino), 468
origin, gangrene resulting from thromboarteritis, apparently of (Ch'in et al.), 889
pathologic physiology and morphology of collagen diseases (Ehrich), 132
heart disease, further observations and application to diagnosis of; phonocardiographic differentiation of vibratory (functional) murmurs from those of valvular insufficiency (Harris and Friedman), 707
Rheumatoid arthritis; pathologic physiology and morphology of collagen diseases (Ehrich), 136
Rocky Mountain spotted fever, nodal tachycardia in case of (Aquilina et al.), 755
Röntgendiagnastik, kymographische. Zur beuteilung des herzens in beispielen, 800 (B. Rev.)
Rupture, traumatic, isolated, of interventricular septum due to blunt force (Pollock et al.), 273

S

Scleroderma, generalized; pathologic physiology and morphology of collagen diseases (Ehrich), 141
Septal defect, interauricular (Smull and Lamb), 481
complicated by pregnancy (Swann), 900
surfaces, morphology of unipolar leads recorded at. Its application to diagnosis of left bundle branch block complicated by myocardial infarction (Sodi-Pallares and Rodríguez), 27
Serum potassium alterations, relation of, to electrocardiographic changes in man in insulin-induced hypoglycemia (Parrish et al.), 815
sickness; pathologic physiology and morphology of collagen diseases (Ehrich), 143
Shock, physiology of, 317 (B. Rev.)
resulting from coronary occlusion, intra-arterial infusion in treatment of (Berman and Akman), 264

Sinus arrhythmia, variation of P-R interval in, and its possible relation to Wenckebach phenomenon (Ehrentheil et al.), 228
Skeletal, cardiac and, muscle, water and electrolyte content of, in heart failure and myocardial infarction (Iseri et al.), 215
Social agency, role of, in rehabilitation program for cardiac patient (Hochhauser), 743
Sodium and potassium, physiologic antagonism of (Butcher et al.), 801
Spatial vector analysis of electrocardiogram of newborn infant, effect of eccentricity on, and on correlation between electrocardiogram and vectorcardiogram (Schaffer et al.), 735
Staphylococcus aureus endocarditis, subacute: recovery following combined antibiotic therapy (Harris and Fishburn), 474
Stenosis, mitral, clinical and physiologic correlations in patients with. V. (Lewis et al.), 2
studies of circulatory dynamics at rest in mitral valvular regurgitation with and without (Gorlin et al.), 357
Stethoscope, effects of improper fitting of, to ears on auscultatory efficiency (Rappaport and Sprague), 713
quantitative, and its clinical applications (Lepeschkin), 881
Stokes-Adams attacks,subacute bacterial endocarditis complicated by intermittent complete heart block and (Whitaker), 904
Streptomycin, penicillin, and aureomycin, failure of, in treatment of subacute enterococcal endocarditis (Rubenstein and Austin), 922
Studies of undernutrition, Wappertal, 1946-9, 316 (B. Rev.)
Syphilitic aortitis, coarctation of aorta complicated by acute bacterial endocarditis with embolism of coronary artery and (Watts), 111
uncomplicated, natural history of (Rich and Webster), 321
Systemic circuit, effect of regurgitation on left ventricle and (Gorlin et al.), 373
Systoles, premature, ventricular, induced,effect of, upon precordial QRS pattern in case of right ventricular hypertrophy (Fowler et al.), 521
Systolic and diastolic loading of heart. I. Physiologic and clinical data (Cabrera C. and Monroy), 661
II. Electrocardiographic data (Cabrera C. and Monroy), 669

T

T waves, other conditions tending to invert: bundle branch block, acute cor pulmonale, and acute pericarditis (Group B) (Levine et al.), 439
"tent-shaped," of normal amplitude in potassium intoxication (Levine et al.), 437
Tachycardia, nodal, in case of Rocky Mountain spotted fever (Aquilina et al.), 755
paroxysmal supraventricular, ventricular fibrillation following eyeball pressure in case of (Landman and Ehrenfeld), 791
ventricular, following administration of quinidine (Wetherbee et al.), 89
of procaine amide hydrochloride (Pronestyl) and quinidine (Schreiner and Kelley), 749
paroxysmal, atropine and quinidine therapy in (Antzis et al.), 911
Pronestyl (procaine amide) therapy in (Antzis et al.), 911
recurrent, treated with procaine amide (Hanenson et al.), 293
Terramycin, combined use of aureomycin and, in treatment of subacute enterococcal endocarditis (Rubenstein and Austin), 922
Test, exercise, electrocardiographic (Scherf and Schaffer), 927
Tests, pharmacologic, use of, in diagnosis of pheochromocytoma (Anderson et al.), 252
Tetralogy of Fallot with subacute bacterial endocarditis. Successful treatment with Chloromycetin (Spring and Wardell), 918
Thromboarteritis, gangrene resulting from, apparently of rheumatic fever origin (Ch'in et al.), 889
Thrombosis of left coronary artery, hypoplasia of right and, with rupture of left ventricle: case report (Smith), 796
review of histopathology of rheumatic aortitis and arteritis, and occurrence of (Ch'in et al.), 889
spontaneous, of superior vena cava, case of, with some observations on mechanism of edema formation (Rice et al.), 821
Tissue, connective, pathology of (Ehrich), 128
physiology of (Ehrich), 121
Traumatic rupture, isolated, of interventricular septum due to blunt force (Pollock et al.), 273
Tricuspid atresia, congenital (Anderson and McKee), 761
valve, clinical and cardiac catheterization findings compatible with Ebstein's anomaly of: report of two cases (van Lingen et al.), 77
Tromexan, Dicumarol, heparin, and; anticoagulants used in treatment of acute myocardial infarction (Russek and Zohman), 871

U

Undernutrition, studies of, Wuppertal, 1946-9, 316 (B. Rev.)
Unipolar leads, morphology of, on septal surfaces of normal heart of dog (Sodi-Pallares and Rodríguez), 28
recorded at septal surfaces, morphology of. Its application to diagnosis of left bundle branch block complicated by myocardial infarction (Sodi-Pallares and Rodríguez), 27

V

Valve, mitral, hydraulic formula for calculation of cross-sectional area of, during regurgitation (Gorlin and Dexter), 188
Valvular insufficiency, phonocardiographic differentiation of vibratory (functional) murmurs from those of: further observations and application to diagnosis of rheumatic heart disease (Harris and Friedman), 707
Vectographie, etudes pratiques de, 316 (B. Rev.)
Vector, spatial, analysis of electrocardiogram of newborn infant, effect of eccentricity on, and on correlation between electrocardiogram and vectorcardiogram (Schaffer et al.), 735
Vectorcardiogram, effect of eccentricity on spatial vector analysis of electrocardiogram of newborn infant and on correlation between electrocardiogram and (Schaffer et al.), 735
Vectorcardiographie, 1a, 316 (B. Rev.)
Vena cava, ligation of, in treatment of heart failure (Cossio), 97
superior, case of spontaneous thrombosis of, with some observations on mechanism of edema formation (Rice et al.), 821
Venous pressure, direct, determinations by use of new instrument (Sodeman), 687
peripheral, response of, to exercise in congestive heart failure (Albert and Eichna), 395
Ventricle, left, and systemic circuit, effect of regurgitation on (Gorlin et al.), 373
complete or incomplete left bundle branch block:
associated with massive infarction of interventricular septum with extensive involvement of free wall of (Sodi-Pallares and Rodríguez), 38
plus infarction of anterolateral portion of free wall of, with little or no involvement of septum (Sodi-Pallares and Rodríguez), 31
with anterolateral infarction of free wall of, and low septal involvement of more or less extensive, but not massive, nature (Sodi-Pallares and Rodríguez), 33
hypoplasia of right and thrombosis of left coronary artery with rupture of: case report (Smith), 796
right, effect of mitral regurgitation on pulmonary circuit and (Gorlin et al.), 376
single, hearts, rare electrocardiographic finding occasionally seen in (Freireich and Nicholson), 526
Ventricular fibrillation following eyeball pressure in case of paroxysmal supraventricular tachycardia (Landman and Ehrenfeld), 791
hypertrophy, left, "tent-shaped" T waves in presence of (Group A) (Levine et al.), 438
right, effect of induced ventricular premature systoles upon precordial QRS pattern in case of (Fowler et al.), 521
mitral stenosis and (Lewis et al.), 17
premature systoles, induced, effect of, upon precordial QRS pattern in case of right ventricular hypertrophy (Fowler et al.), 521
septum, congenital aneurysm of membranous portion of: report of two cases (Rogers et al.), 781
tachycardia following administration of quinidine (Wetherbee et al.), 89
of procaine amide hydrochloride (Pronestyl) and quinidine (Schreiner and Kelley), 749
paroxysmal, atropine and quinidine therapy in (Antzis et al.), 911
Pronestyl (procaine amide) therapy in (Antzis et al.), 911
recurrent, treated with procaine amide (Hanenson et al.), 293
Veratrum alkaloids, comparison of effects of, and of hexamethonium bromide upon blood pressure in arterial hypertension (Smirk and Chapman), 586
toxic or side effects of. III. (Smirk and Chapman), 597
Vibratory (functional) murmurs, phonocardiographic differentiation of, from those of valvular insufficiency: further observations and application of diagnosis of rheumatic heart disease (Harris and Friedman), 707
Volume-time course of pulse wave of finger tip, study of (Burch et al.), 844

W

Water and electrolyte content of cardiac and skeletal muscle in heart failure and myocardial infarction (Iseri et al.), 215
Wave, pulse, of finger tip, study of volume-time course of (Burch et al.), 844
Wenckebach phenomenon, second-degree heart block and, associated with anxiety (Benedict and Evans), 626
variation of P-R interval in sinus arrhythmia and its possible relation to (Ehrentheil et al.), 228

Y

Year book of medicine, 1951, 319 (B. Rev.)